

# Acri-Soy Penetrating Sealer

The Acri-Soy Penetrating Wood and Concrete Sealer uses a hybrid acrylic and biobased emulsion technology. It penetrates into concrete and leaves no surface film. It can also be used to seal wood. It avoids VOCs and PFAS, it is CDPH VOC Emissions Certified and qualifies for WELL and LEED. The product is biopreferred certified. Acrylic acid is used to form the polymers. Once chemically bonded, it is not harmful in end-use. It currently still contains petrochemical-derived acrylic, but this will gradually be replaced by biobased alternatives and post less harm throughout its entire life cycle.



**CATEGORY**

Sealer/ Surface, Biobased

**MANUFACTURER**

Eco Safety Products

**MATERIAL COMPOSITION\***

Water, Acrylic Acid, 3-(Trimethoxysilyl)Propyl Ester, Ethanol, 2,2'-(Butylimino)bis, Undisclosed, Alcohols, C9-11, Ethoxylated, Alcohols, C16-18, Ethoxylated, Benzenesulfonic Acid, Dodecyl-Branched, Sodium Salt, Benzenesulfonic Acid, Mono-C10-16-Alkyl Derivs., Sodium Salts, Fatty Acids, C16-18 and C18-Unsatd., ME Esters, 2-Propenoic Acid, 2-Methyl-Polymer with Ethyl 2-Propenoate, Xantham Gum, Soybean Oil, ME Ester

*\*as reported by the manufacturer*

**AVAILABLE SIZING**

1 qt, 1 gal, 5 gal

**CERTIFICATIONS & DISCLOSURES**

- Health Product Declaration (HPD)
- ~~Declare Label~~
- ~~Environmental Product Declaration (EPD)~~
- Safety Data Sheet (SDS)
- ~~USDA Certified Biobased Product Label~~
- ~~Other~~
- 

**LAST UPDATED**

April 01, 2024